Author Index

Abukhshim, N. A.	An investigation of the tool–chip contact length and wear in high-speed turning of EN19 steel	889–903
Aghaie-Khafri, M.	Predicting flow localization and formability of aluminium alloy sheets	1313–1322
Ahearne, E.	Ultraprecision grinding technologies in silicon semiconductor processing	253–267
Ahn, J.-Y.	Real-time estimation of the temperature distribution and expansion of a ball screw system using an observer	1667–1681
Ai, Q.-H.	Virtual prototyping for a parallel-link coordinate measuring machine	1125–1136
Akiyama, M.	Suppression of bending after steel bar drawing by heavy-reduction pass	1461–1470
Aleem, A.	Laser hole drilling quality and efficiency assessment	225–233
Alejandre, I.	Machine tool errors caused by optical linear encoders	113–122
Altan, T.	Process fusion: tube hydroforming and crushing in a square die	169–174
Alves, M. L.	Three-dimensional modelling of forging processes by the finite element flow formulation	1695–1707
Apollini, S.	Machine buffer sizing based on the theory of constraint principles and the tabu search technique	1825–1832
Arif, A. M. F.	Laser shock processing of Ti–6Al–4V alloy	473–482
Artes, M.	Machine tool errors caused by optical linear encoders	113–122
Aspinwall, D. K.	Three-dimensional finite element modelling of high-speed milling of Inconel 718	1555–1561
Awadalla, M. H.	Fuzzy-logic-based behaviour coordination in a multi-robot system	583–598
Backhouse, C. J.	Application of transactional analysis in supply chain networks: a potential holonic mediating tool	571–580
Backhouse, C. J.	Linking employee behaviour to external customer satisfaction using quality function deployment	1167–1177
Baker, R. C.	Variation in flowmeter manufacture: some observations and lessons	961–975
Baldoukas, A. K.	A study of porosity formation in pressure die casting using the Taguchi approach	77–86
Banerjee, R. N.	Computer aided stress analysis of Fellow's gear-shaping cutter at different stages of a cutting stroke	1297–1306
Banerjee, R. N.	Computer aided stress and deflection analysis of Fellow's gear-shaping cutter, for different cutting process parameters	1755–1765
Bariani, P. F.	Modelling Nimonic 80A rheological behaviour through artificial neural networks	615–618
Bartz-Beielstein, Th.	Evolutionary optimization of mould temperature control strategies: encoding and solving the multiobjective problem with standard evolution strategy and kit for evolution algorithms	657–665
Berry, C.	The performance envelope of forming shoulders and implications for design and manufacture	925–934
Bhamra, T. A.	Ecodesign: the search for new strategies in product development	557–569
Bhat, N.	Integrated multidimensional positioner for precision manufacturing	431–442
Biganzoli, F.	Contactless electrostatic handling of microcomponents	1795–1806
Billett, E.	Electrically self-powered active disassembly	689–697
Bohan, M. F. J.	An investigation into plate deformation in flexographic printing	1499–1511
Boillat, E.	Finite element and neural network models for process optimization in selective laser sintering	607–614
Booker, J. D.	A comparison of shrink-fit holding torque using probabilistic, micromechanical and experimental approaches	175–187
Booker, J. D.	Strategies and case studies in assembly system selection	675–688
Bould, D. C.	An investigation into plate deformation in flexographic printing	1499–1511
Bramley, A. N.	Predictions and measurements of residual stresses from forging and heat treatment	301–313
Brown, N.	Improving wood surface form by modification of the rotary machining process	875–887
Brown, N.	Quality inspection of food packaging seals using machine vision with texture analysis	1591–1599
Bruschi, S.	Modelling Nimonic 80A rheological behaviour through artificial neural networks	615–618
Burns, N. D.	Application of transactional analysis in supply chain networks: a potential holonic mediating tool	571–580
Burns, N. D.	Linking employee behaviour to external customer satisfaction using quality function deployment	1167–1177

© IMechE 2004

Byer, N. A.	On measuring the progress of industry teams	1433–1452
Byon, S. M.	Predictions of roll force under heavy-reduction hot rolling using a large-deformation constitutive model	483–494
Byrne, G.	Dimensional accuracy of injection-moulded components produced in an enhanced silicone rubber mould	51–57
Byrne, G.	Ultraprecision grinding technologies in silicon semiconductor processing	253–267
Byrne, G.	A model for the generation and evaluation of integrated manufacturing solutions for powertrain components	281–288
Carnegie, D. A.	The design of a mobile autonomous robot for indoor security applications	533–543
Carnegie, D. A.	The mechanical design and construction of a mobile outdoor multi-terrain robot	1563–1575
Casalino, G.	A model for evaluation of laser welding efficiency and quality using an artificial neural network and fuzzy logic	641–646
Case, K.	Modelling and reasoning for failure modes and effects analysis generation	289–300
Chan, A. H. S.	A comparison of linear and non-linear magnification on target detection performance in visual inspection	1373–1386
Chan, F. T. S.	A new model for manufacturing supply chain networks: a multiagent approach	443–454
Chan, F. T. S.	A holistic approach to manufacturing cell formation: incorporation of machine flexibility and machine aggregation	1279–1296
Chan, F. T. S.	Development of the supplier selection model—a case study in the advanced technology industry	1807–1824
Chan, H. K.	A new model for manufacturing supply chain networks: a multiagent approach	443–454
Chan, H. K.	Development of the supplier selection model—a case study in the advanced technology industry	1807–1824
Chan, P. L. Y.	A holistic approach to manufacturing cell formation: incorporation of machine flexibility and machine aggregation	1279–1296
Chang, C. C.	Predictions and measurements of residual stresses from forging and heat treatment	301–313
Chang, Y. S.	A hybrid approach for modelling and analysis of an integrated machine	1577–1590
Chatting, I.	An attribute management approach to concurrent engineering	995–1003
Chattopadhyay, T. K.	Computer aided stress analysis of Fellow's gear-shaping cutter at different stages of a cutting stroke	1297–1306
Chattopadhyay, T. K.	Computer aided stress and deflection analysis of Fellow's gear-shaping cutter, for different cutting process parameters	1755–1765
Chen, F.-C.	Optimization of the volumetric accuracy of high-speed computer numerical control milling with dynamic quality characteristics	1741–1754
Chen, S.	Study on self-heating metallic powder for the selective laser sintering process	1239–1247
Chen, W.-F.	A precision design for computer numerical control machining models of involute-generator revolving cutters	517–531
Cheung, C. F.	Wavelength decomposition analysis of surface generation in the ultraprecision machining of brittle single crystals	1257–1265
Chiodo, J.	Electrically self-powered active disassembly	689–697
Chiou, C.-H.	Simulation of machined surface topography in end-milling processes using a shear-plane-based cutting force model	1767–1793
Cho, H.	Quality evaluation by classification of electrode force patterns in the resistance spot welding process using neural networks	1513–1524
Choi, G.	Disassembly scheduling: integer programming models	1357–1372
Choi, H. J.	A study on the optimization of a mechanical press drive	189–196
Choi, S. K.	Analysis of deformation surrounding a hole produced by tube hydro-piercing	1091–1097
Chou, Y. K.	Machining-induced surface hardening due to large wear land	1647–1655
Chu, C.-H.	Linking tool paths generated with different offset distances for edge quality enhancement in planar milling	721–730
Chung, S.-C.	Real-time compensatory control of thermal errors for high-speed machine tools	913–924
Chung, S.-C.	Real-time estimation of the temperature distribution and expansion of a ball screw system using an observer	1667–1681
Claypole, T. C.	An investigation into plate deformation in flexographic printing	1499–1511
Corcoran, A.	A model for the generation and evaluation of integrated manufacturing solutions for powertrain components	281–288
Cordes, J. C.	The mechanical design and construction of a mobile outdoor multi-terrain robot	1563–1575
Coutts, I.	Using domain machines to support manufacturing software system implementation	1833–1843
Coy, J.	Integrating novelty detection, neural networks and conventional tools for pattern recognition in multivariate processes	779–793
Cramez, M. C.	Mould pressure control in rotational moulding	1683–1693
Crawford, R. J.	Mould pressure control in rotational moulding	1683–1693

© IMechE 2004

Cser, L.	Fine-tuning of the rolling mill using an Internet-based on-line application–processing interface	631–640
Cui, Y.	Generating optimal T-shape cutting patterns for rectangular blanks	857–866
Cui, Y.	Generating optimal multiple-segment cutting patterns for rectangular blanks	1483–1490
Culley, S. J.	An integrated modelling environment for the computer-based embodiment of engineering systems with standard components	159–168
Dabrowski, L.	Investigation into the phenomenological aspects of the grinding process	495–502
D'Addona, D.	Intelligent classification of neural network models for mild steel behaviour in hot forming	619–630
Dai, X.	Rapid metal tooling by applying plasma spraying and rapid prototyping/rapid tooling technology for metal sheet forming	509–515
Dal Negro, T.	Modelling Nimonic 80A rheological behaviour through artificial neural networks	615–618
Danckert, J.	Experimental and numerical investigation into useful wrinkling during aluminium alloy internal high-pressure forming	43–49
Danckert, J.	Investigation into sheet hydroforming based on hydromechanical deep drawing with uniform pressure on the blank	833–844
Danckert, J.	Analysis of key parameters in sheet hydroforming combined with stretching forming and deep drawing	845–856
Dani, S.	Application of transactional analysis in supply chain networks: a potential holonic mediating tool	571–580
Datta, G. L.	Three-dimensional finite element analysis to predict the different zones of microstructure in submerged arc welding	269–280
Datta, P. P.	Computer aided stress analysis of Fellow's gear-shaping cutter at different stages of a cutting stroke	1297–1306
Datta, P. P.	Computer aided stress and deflection analysis of Fellow's gear-shaping cutter, for different cutting process parameters	1755–1765
Deiab, I. M.	Effect of workpiece/fixture dynamics on the machining process output	1541–1553
Dewes, R. C.	Three-dimensional finite element modelling of high-speed milling of Inconel 718	1555–1561
Di Lorenzo, R.	Optimal design of tube hydroforming processes: a fuzzy-logic-based approach	599–606
Dimov, S. S.	Laser milling as a 'rapid' micromanufacturing process	1–7
Dimov, S. S.	Micromilling strategies: optimization issues	731–736
Ding, H.	A virtual prototyping approach to generation and evaluation of mechanical assembly sequences	87–102
Dittberner, J.	Innovative manufacturing technologies for the disassembly of consumer goods	1039–1046
Dobrev, T.	Laser milling as a 'rapid' micromanufacturing process	1–7
Dornfeld, D.	Linking tool paths generated with different offset distances for edge quality enhancement in planar milling	721–730
Dunne, P.	Dimensional accuracy of injection-moulded components produced in an enhanced silicone rubber mould	51–57
Edmondson, N. F.	Strategies and case studies in assembly system selection	675–688
Edwards, J.	Using domain machines to support manufacturing software system implementation	1833–1843
Edwards, R. E.	Finite element analysis of stress distribution and the effects of geometry in a laser-generated single-stage ceramic tile grout seal using ANSYS	1227–1237
Ehmann, K. F.	Simulation of machined surface topography in end-milling processes using a shear-plane-based cutting force model	1767–1793
Elbestawi, M. A.	Three-dimensional elastoplastic finite element model for residual stresses in the shot peening process	1471–1481
Elbestawi, M. A.	Effect of workpiece/fixture dynamics on the machining process output	1541–1553
Elbing, F.	Innovative manufacturing technologies for the disassembly of consumer goods	1039–1046
ElTobgy, M. S.	Three-dimensional elastoplastic finite element model for residual stresses in the shot peening process	1471–1481
Fansen, K.	Micromilling strategies: optimization issues	731–736
Fantoni, G.	Contactless electrostatic handling of microcomponents	1795–1806
Filice, L.	Optimal design of tube hydroforming processes: a fuzzy-logic-based approach	599–606
Fowler, J. W.	A hybrid approach for modelling and analysis of an integrated machine	1577–1590
Fricker, D. C.	Predicting the occurrence of grind hardening in cubic boron nitride grinding of crankshaft steel	1339–1356
Fuh, J. Y. H.	An efficient cutter contact curve tool path regeneration algorithm for sculptured surface machining	389–402
Fujii, N.	Reinforcement learning approach to self-organization in a biological manufacturing system framework	667–673
Furuta, H.	Suppression of bending after steel bar drawing by heavy-reduction pass	1461–1470

© IMechE 2004

Gadelmawla, E. S.	A novel system for automatic measurement and inspection of parallel screw threads	545–556
Gale, A. W.	Finite element analysis of stress distribution and the effects of geometry in a laser-generated single-stage ceramic tile grout seal using ANSYS	1227–1237
Gao, H.	Visual sensing and profile extraction of the weld pool in pulsed gas metal arc welding	1333–1338
Gill, T. J.	Experimental investigation into the selective laser sintering of silicon carbide polyamide composites	1249–1256
Glardon, R.	Finite element and neural network models for process optimization in selective laser sintering	607–614
Gondal, M. A.	Laser shock processing of Ti–6Al–4V alloy	473–482
Gregory, M.	The impact of uncertainty on product introduction in dispersed environments	749–763
Gu, Z.	Rapid metal tooling by applying plasma spraying and rapid prototyping/rapid tooling technology for metal sheet forming	509–515
Guh, R.-S.	Integrating novelty detection, neural networks and conventional tools for pattern recognition in multivariate processes	779–793
Guha, A.	Development of an improved voltage and current measurement system for studying spark characteristics with application to electrodischarge machining	935–938
Hagan, E.	Analysis of surface roughness for parts formed by computer numerical controlled incremental forming	1307–1312
Hamedi, M.	Application of the Armstrong friction model to study dynamic transient response in workpiece–fixture systems	737–747
Hanna, V.	Linking employee behaviour to external customer satisfaction using quality function deployment	1167–1177
Hao, L.	On the role of laser-induced microstructures in influencing the surface energy of magnesia partially stabilized zirconia bioceramic	59–76
Haque, B.	Measures of performance for lean product introduction in the aerospace industry	1387–1398
Harrison, A. J. L.	Predicting the occurrence of grind hardening in cubic boron nitride grinding of crankshaft steel	1339–1356
Harrison, D.	Electrically self-powered active disassembly	689–697
Hatono, I.	Reinforcement learning approach to self-organization in a biological manufacturing system framework	667–673
He, D.	Generating optimal multiple-segment cutting patterns for rectangular blanks	1483–1490
Hermansyah, A.	A fuzzy system for chatter suppression in end milling	403–417
Hicks, B. J.	An integrated modelling environment for the computer-based embodiment of engineering systems with standard components	159–168
Hicks, B. J.	The performance envelope of forming shoulders and implications for design and manufacture	925–934
Hon, K. K. B.	Experimental investigation into the selective laser sintering of silicon carbide polyamide composites	1249–1256
Hong, M.-S.	Simulation of machined surface topography in end-milling processes using a shear-plane-based cutting force model	1767–1793
Hsu, T.-H.	The application of the double-readheads planar encoder system for error calibration of computer numerical control machine tools	1077–1089
Hsu, Y.-L.	Design optimization of the blow moulding process using a fuzzy optimization algorithm	197–212
Hu, Q. X.	Intelligent monitoring and recognition of the short-circuiting gas–metal arc welding process	1145–1151
Hu, R. S.	On the prediction of chip flow angle in non-free oblique machining	1267–1278
Hu, T.	Integrated multidimensional positioner for precision manufacturing	431–442
Hua, M.	Material removal by fixed abrasives following curved paths	713–720
Huang, H.	Ultraprecision grinding of tungsten carbide for spherical mirrors	419–429
Huang, L.	Generating optimal multiple-segment cutting patterns for rectangular blanks	1483–1490
Huang, S.	Study on self-heating metallic powder for the selective laser sintering process	1239–1247
Hughes, J. I.	The effect of tool edge preparation on tool life and workpiece surface integrity	1113–1123
Hurd, S. A.	The design of a mobile autonomous robot for indoor security applications	533–543
Hussein, H.	Electrically self-powered active disassembly	689–697
Hwang, B. B.	A study on the optimization of a mechanical press drive	189–196
Hwang, Y. M.	Process fusion: tube hydroforming and crushing in a square die	169–174
Hynek, P.	Improving wood surface form by modification of the rotary machining process	875–887
Ikejo, K.	Design and performance of gear pumps with a non-involute tooth profile	699–711
Ishikawa, T.	Finite element modelling approaches to the accurate dimensional prediction for a cold-forged part	1709–1722
Ivanov, A.	Micromilling strategies: optimization issues	731–736

© IMechE 2004

Jackson, M.	Improving wood surface form by modification of the rotary machining process	875–887
Jackson, M.	Quality inspection of food packaging seals using machine vision with texture analysis	1591–1599
Jain, P. K.	A genetic algorithm based solution to optimum tolerance synthesis of mechanical assemblies with alternate manufacturing processes—benchmarking with the exhaustive search method using the Lagrange multiplier	765–778
Jain, S. C.	A genetic algorithm based solution to optimum tolerance synthesis of mechanical assemblies with alternate manufacturing processes—benchmarking with the exhaustive search method using the Lagrange multiplier	765–778
Jandric, Z.	Heat management in solid free-form fabrication based on deposition by welding	1525–1540
Jang, D. H.	A study on the optimization of a mechanical press drive	189–196
Janicki, D.	The influence of the shielding gas on the properties of a laser-melted surface of austenitic stainless steel	1137–1144
Jawahir, I. S.	Web-based optimization of milling operations for the selection of cutting conditions using genetic algorithms	647–655
Jeon, Y. P.	Effects of viscosity control on microporosity in the fabrication process of aluminium foam material by a rheology forming process	1723–1734
Jeswiet, J.	Analysis of surface roughness for parts formed by computer numerical controlled incremental forming	1307–1312
Jeswiet, J.	Wall thickness variations in single-point incremental forming	1453–1459
Ji, C.	Laser milling as a 'rapid' micromanufacturing process	1–7
Jiang, W. H.	Feasibility study of friction stir welding of 6061-T6 aluminium alloy with AISI 1018 steel	1323–1331
Jones, N.	Electrically self-powered active disassembly	689–697
Junkar, M.	An experimental study of drilling small and deep blind holes with an abrasive water jet	503–508
Jywe, W.-Y.	The application of the double-readheads planar encoder system for error calibration of computer numerical control machine tools	1077–1089
Kang, C. G.	Effects of viscosity control on microporosity in the fabrication process of aluminium foam material by a rheology forming process	1723–1734
Karunakaran, K. P.	Hybrid layered manufacturing: direct rapid metal tool-making process	1657–1665
Kawalec, A.	Tooth-root stress calculation of internal spur gears	1153–1166
Kerr, D.	Quality inspection of food packaging seals using machine vision with texture analysis	1591–1599
Khalil, R. A.	Use of genetic algorithms in operations management. Part 1: applications	315–327
Khalil, R. A.	Use of genetic algorithms in operations management. Part 2: results	329–343
Khan, O.	Laser pulse heating and thermal stress developments: elastoplastic analysis	375–388
Kim, D.	Optimization of a gas metal arc welding process using the desirability function and the genetic algorithm	35–41
Kim, H.-J.	Disassembly scheduling: integer programming models	1357–1372
Kim, K.-D.	Real-time compensatory control of thermal errors for high-speed machine tools	913–924
Kim, M.-S.	Real-time compensatory control of thermal errors for high-speed machine tools	913–924
Kim, S. I.	Predictions of roll force under heavy-reduction hot rolling using a large-deformation constitutive model	483–494
Kim, W.-J.	Integrated multidimensional positioner for precision manufacturing	431–442
Kim, W. T.	Analysis of deformation surrounding a hole produced by tube hydro-piercing	1091–1097
Klimpel, A.	The influence of the shielding gas on the properties of a laser-melted surface of austenitic stainless steel	1137–1144
Ko, B. D.	A study on the optimization of a mechanical press drive	189–196
Kolossov, S.	Finite element and neural network models for process optimization in selective laser sintering	607–614
Kovacevic, R.	Heat transfer modelling for both workpiece and tool in the friction stir welding process: a coupled model	17–33
Kovacevic, R.	Feasibility study of friction stir welding of 6061-T6 aluminium alloy with AISI 1018 steel	1323–1331
Kovacevic, R.	Heat management in solid free-form fabrication based on deposition by welding	1525–1540
Kuboki, T.	Suppression of bending after steel bar drawing by heavy-reduction pass	1461–1470
Kwon, Y. N.	Finite element modelling approaches to the accurate dimensional prediction for a cold-forged part	1709–1722
Lacarac, V.	Predictions and measurements of residual stresses from forging and heat treatment	301–313
Lanctot, B.	Design optimization of the blow moulding process using a fuzzy optimization algorithm	197–212
Lando, M.	Machine buffer sizing based on the theory of constraint principles and the tabu search technique	1825–1832

© IMechE 2004

Lang, L. H.	Experimental and numerical investigation into useful wrinkling during aluminium alloy internal high-pressure forming	43–49
Lang, L. H.	Investigation into sheet hydroforming based on hydromechanical deep drawing with uniform pressure on the blank	833–844
Lang, L. H.	Analysis of key parameters in sheet hydroforming combined with stretching forming and deep drawing	845–856
Lau, K. W.	A holistic approach to manufacturing cell formation: incorporation of machine flexibility and machine aggregation	1279–1296
Lawrence, J.	On the role of laser-induced microstructures in influencing the surface energy of magnesia partially stabilized zirconia bioceramic	59–76
Lawrence, J.	Finite element analysis of stress distribution and the effects of geometry in a laser-generated single-stage ceramic tile grout seal using ANSYS	1227–1237
Lee, D.-H.	Disassembly scheduling: integer programming models	1357–1372
Lee, H. Y.	A hybrid approach for modelling and analysis of an integrated machine	1577–1590
Lee, J. H.	Finite element modelling approaches to the accurate dimensional prediction for a cold-forged part	1709–1722
Lee, Y.	Predictions of roll force under heavy-reduction hot rolling using a large-deformation constitutive model	483–494
Lee, Y. S.	Finite element modelling approaches to the accurate dimensional prediction for a cold-forged part	1709–1722
Levy, G.	Finite element and neural network models for process optimization in selective laser sintering	607–614
Li, L.	An analytical model of energy distribution in laser direct metal deposition	363–374
Li, L.	Finite element analysis of stress distribution and the effects of geometry in a laser-generated single-stage ceramic tile grout seal using ANSYS	1227–1237
Li, Z. Z.	On the precision of chip flow angle in non-free oblique machining	1267–1278
Liang, M.	A fuzzy system for chatter suppression in end milling	403–417
Lieh, J.	Dynamic performance of shoe centreless grinding	939–947
Lim, K. C.	Finite element analysis of stress distribution and the effects of geometry in a laser-generated single-stage ceramic tile grout seal using ANSYS	1227–1237
Lisiecki, A.	The influence of the shielding gas on the properties of a laser-melted surface of austenitic stainless steel	1137–1144
Liu, C.-H.	The application of the double-readheads planar encoder system for error calibration of computer numerical control machine tools	1077–1089
Liu, D.-J.	Virtual prototyping for a parallel-link coordinate measuring machine	1125–1136
Liu, T.-C.	Design optimization of the blow moulding process using a fuzzy optimization algorithm	197–212
Loher, M.	Finite element and neural network models for process optimization in selective laser sintering	607–614
Loughnane, D. L.	The design of a mobile autonomous robot for indoor security applications	533–543
Lu, X.	Study on self-heating metallic powder for the selective laser sintering process	1239–1247
Ma, R. C. W.	A comparison of linear and non-linear magnification on target detection performance in visual inspection	1373–1386
McMahon, C. A.	Predictions and measurements of residual stresses from forging and heat treatment	301–313
McPherson, C. J.	The performance envelope of forming shoulders and implications for design and manufacture	925–934
Mahajan, V.	Machining-induced surface hardening due to large wear land	1647–1655
Marciniak, M.	Investigation into the phenomenological aspects of the grinding process	495–502
Martins, P. A. F.	Three-dimensional modelling of forging processes by the finite element flow formulation	1695–1707
Marzi, H.	Real-time fault detection and isolation in industrial machines using learning vector quantization	949–959
Mativenga, P. T.	An investigation of the tool–chip contact length and wear in high-speed turning of EN19 steel	889–903
Mavrommatis, St A.	A study of porosity formation in pressure die casting using the Taguchi approach	77–86
Medland, A. J.	The performance envelope of forming shoulders and implications for design and manufacture	925–934
Mehnen, J.	Evolutionary optimization of mould temperature control strategies: encoding and solving the multiobjective problem with standard evolution strategy and kit for evolution algorithms	657–665

© IMechE 2004

Memola Capece Minutolo, F.	A model for evaluation of laser welding efficiency and quality using an artificial neural network and fuzzy logic	641–646
Micari, F.	Optimal design of tube hydroforming processes: a fuzzy-logic-based approach	599–606
Micheltisch, Th.	Evolutionary optimization of mould temperature control strategies: encoding and solving the multiobjective problem with standard evolution strategy and kit for evolution algorithms	657–665
Mileham, A. R.	An attribute management approach to concurrent engineering	995–1003
Mishra, P. K.	Development of an improved voltage and current measurement system for studying spark characteristics with application to electrodischarge machining	935–938
Mohammed, Z.	A comparison of shrink-fit holding torque using probabilistic, micromechanical and experimental approaches	175–187
Moon, Y. H.	Analysis of deformation surrounding a hole produced by tube hydro-piercing	1091–1097
Moore, M. J.	Measures of performance for lean product introduction in the aerospace industry	1387–1398
Morgan, E. J.	An attribute management approach to concurrent engineering	995–1003
Motlagh, H. E.	Application of the Armstrong friction model to study dynamic transient response in workpiece–fixture systems	737–747
Mullineux, G.	The performance envelope of forming shoulders and implications for design and manufacture	925–934
Nagamura, K.	Design and performance of gear pumps with a non-involute tooth profile	699–711
Naqavi, I. Z.	Laser pulse heating and thermal stress developments: elastoplastic analysis	375–388
Naude, J.	Fine-tuning of the rolling mill using an Internet-based on-line application–processing interface	631–640
Nee, A. Y. C.	An efficient cutter contact curve tool path regeneration algorithm for sculptured surface machining	389–402
Newman, S. T.	A web-based information system to support end-of-life product recovery	1047–1057
Ng, E.	Three-dimensional elastoplastic finite element model for residual stresses in the shot peening process	1471–1481
Nielsen, K. B.	Experimental and numerical investigation into useful wrinkling during aluminium alloy internal high-pressure forming	43–49
Nielsen, K. B.	Investigation into sheet hydroforming based on hydromechanical deep drawing with uniform pressure on the blank	833–844
Nielsen, K. B.	Analysis of key parameters in sheet hydroforming combined with stretching forming and deep drawing	845–856
Nikkhah-Bahramy, M.	Application of the Armstrong friction model to study dynamic transient response in workpiece–fixture systems	737–747
Nowicki, B.	The superficial layer of parts machined by brush electro-discharge mechanical machining (BEDMM)	9–15
Oliveira, M. J.	Mould pressure control in rotational moulding	1683–1693
Orbanic, H.	An experimental study of drilling small and deep blind holes with an abrasive water jet	503–508
Orfanoudakis, N. G.	A study of porosity formation in pressure die casting using the Taguchi approach	77–86
Park , J.-H.	Incorporating life-cycle cost into early product development	1059–1066
Park, Y. J.	Quality evaluation by classification of electrode force patterns in the resistance spot welding process using neural networks	1513–1524
Parkin, R. M.	Integrating novelty detection, neural networks and conventional tools for pattern recognition in multivariate processes	779–793
Parkin, R.	Improving wood surface form by modification of the rotary machining process	875–887
Parkin, R.	Quality inspection of food packaging seals using machine vision with texture analysis	1591–1599
Pathak, A. K.	Three-dimensional finite element analysis to predict the different zones of microstructure in submerged arc welding	269–280
Pearce, T. R. A.	Predicting the occurrence of grind hardening in cubic boron nitride grinding of crankshaft steel	1339–1356
Petkov, P. V.	Laser milling as a 'rapid' micromanufacturing process	1–7
Pham, D. T.	Laser milling as a 'rapid' micromanufacturing process	1–7
Pham, D. T.	Fuzzy-logic-based behaviour coordination in a multi-robot system	583–598
Pham, D. T.	Micromilling strategies: optimization issues	731–736
Pickering, J. P.	Ultraprecision grinding of tungsten carbide for spherical mirrors	419–429
Pierzynowski, R.	The superficial layer of parts machined by brush electro-discharge mechanical machining (BEDMM)	9–15
Pinkerton, A. J.	An analytical model of energy distribution in laser direct metal deposition	363–374
Polte, T.	Intelligent monitoring and recognition of the short-circuiting gas–metal arc welding process	1145–1151

© IMechE 2004

Pons, D. J.	Design with uncertain qualitative variables under imperfect knowledge	977–986
Popov, K.	Micromilling strategies: optimization issues	731–736
Pushpa, V.	Hybrid layered manufacturing: direct rapid metal tool-making process	1657–1665
Quinn, L.	Use of genetic algorithms in operations management. Part 1: applications	315–327
Quinn, L.	Use of genetic algorithms in operations management. Part 2: results	329–343
Rahimifard, A.	A web-based information system to support end-of-life product recovery	1047–1057
Rahimifard, S.	A web-based information system to support end-of-life product recovery	1047–1057
Raine, J. K.	Design with uncertain qualitative variables under imperfect knowledge	977–986
Ramesh, K.	Ultraprecision grinding of tungsten carbide for spherical mirrors	419–429
Rehfeldt, D.	Intelligent monitoring and recognition of the short-circuiting gas–metal arc welding process	1145–1151
Relvas, C.	Optimization of computer numerical control set-up parameters to manufacture rapid prototypes	867–874
Rhee, S.	Optimization of a gas metal arc welding process using the desirability function and the genetic algorithm	35–41
Ridgway, K.	The effect of tool edge preparation on tool life and workpiece surface integrity	1113–1123
Rodrigues, J. M. C.	Three-dimensional modelling of forging processes by the finite element flow formulation	1695–1707
Roscher, J.	A model for the generation and evaluation of integrated manufacturing solutions for powertrain components	281–288
Rosell, J.	Assembly and task planning using Petri nets: a survey	987–994
Roy, S.	Development of an improved voltage and current measurement system for studying spark characteristics with application to electrodischarge machining	935–938
Saladin, D.	Finite element and neural network models for process optimization in selective laser sintering	607–614
Savino, M.	Machine buffer sizing based on the theory of constraint principles and the tabu search technique	1825–1832
Schmitt, K.	Evolutionary optimization of mould temperature control strategies: encoding and solving the multiobjective problem with standard evolution strategy and kit for evolution algorithms	657–665
Schofield, M. E.	The impact of uncertainty on product introduction in dispersed environments	749–763
Seo, K.-K.	Incorporating life-cycle cost into early product development	1059–1066
Sharman, A. R. C.	The effect of tool edge preparation on tool life and workpiece surface integrity	1113–1123
Sheikh, M. A.	An investigation of the tool–chip contact length and wear in high-speed turning of EN19 steel	889–903
Shi, F.	Quality inspection of food packaging seals using machine vision with texture analysis	1591–1599
Shi, Y.	Study on self-heating metallic powder for the selective laser sintering process	1239–1247
Shiju, E.	On-line monitoring of drilling torques of microdrills	1735–1740
Shim, H. B.	Determination of optimal blank shape by the radius vector of boundary nodes	1099–1111
Shuja, S. Z.	Laser shock processing of Ti–6A1–4V alloy	473–482
Simões, J. A.	Optimization of computer numerical control set-up parameters to manufacture rapid prototypes	867–874
Singh, P. K.	A genetic algorithm based solution to optimum tolerance synthesis of mechanical assemblies with alternate manufacturing processes—benchmarking with the exhaustive search method using the Lagrange multiplier	765–778
Smith, D. J.	Predictions and measurements of residual stresses from forging and heat treatment	301–313
Song, M.	Heat transfer modelling for both workpiece and tool in the friction stir welding process: a coupled model	17–33
Soo, S. L.	Three-dimensional finite element modelling of high-speed milling of Inconel 718	1555–1561
Spadło, S.	The superficial layer of parts machined by brush electro-discharge mechanical machining (BEDMM)	9–15
Spence, A. G.	Mould pressure control in rotational moulding	1683–1693
Spowage, A. C.	Ultraprecision grinding of tungsten carbide for spherical mirrors	419–429
Sreenathbabu, A.	Hybrid layered manufacturing: direct rapid metal tool-making process	1657–1665
Srikant, R. R.	Tool wear monitoring—an intelligent approach	905–912
Srinivasa Rao, Ch.	Tool wear monitoring—an intelligent approach	905–912
Stockton, D.	Developing cost models by advanced modelling technology	213–224
Stockton, D. J.	Use of genetic algorithms in operations management. Part 1: applications	315–327
Stockton, D. J.	Use of genetic algorithms in operations management. Part 2: results	329–343
Sun, J. S.	Intelligent monitoring and recognition of the short-circuiting gas–metal arc welding process	1145–1151
Swift, K. G.	Strategies and case studies in assembly system selection	675–688

© IMechE 2004

Tam, H.-Y.	Material removal by fixed abrasives following curved paths	713–720
Tan, Q.	On-line monitoring of drilling torques of microdrills	1735–1740
Teoh, P. C.	Modelling and reasoning for failure modes and effects analysis generation	289–300
Teti, R.	Intelligent classification of neural network models for mild steel behaviour in hot forming	619–630
Thibault, F.	Design optimization of the blow moulding process using a fuzzy optimization algorithm	197–212
Tichadou, S.	Manufacturing errors modelling: two three-dimensional approaches	1869–1873
Tierney, M. J.	Predictions and measurements of residual stresses from forging and heat treatment	301–313
Truman, C. E.	A comparison of shrink-fit holding torque using probabilistic, micromechanical and experimental approaches	175–187
Tsoukalas, V. D.	A study of porosity formation in pressure die casting using the Taguchi approach	77–86
Tutulan, F. G.	Design and performance of gear pumps with a non-involute tooth profile	699–711
Tzeng, Y.-F.	Optimization of the volumetric accuracy of high-speed computer numerical control milling with dynamic quality characteristics	1741–1754
Ueda, K.	Reinforcement learning approach to self-organization in a biological manufacturing system framework	667–673
Uhlmann, E.	Innovative manufacturing technologies for the disassembly of consumer goods	1039–1046
Umbrello, D.	Optimal design of tube hydroforming processes: a fuzzy-logic-based approach	599–606
Urbaniak, M.	Evaluating system for the cutting properties of grinding wheels	1491–1498
Vancoille, E. Y. J.	Ultraprecision grinding of tungsten carbide for spherical mirrors	419–429
Wang, J.-L.	Virtual prototyping for a parallel-link coordinate measuring machine	1125–1136
Wang, Q.	Developing cost models by advanced modelling technology	213–224
Wang, X.	Web-based optimization of milling operations for the selection of cutting conditions using genetic algorithms	647–655
Wang, X. S.	Experimental and numerical investigation into useful wrinkling during aluminium alloy internal high-pressure forming	43–49
Wang, Y.	Study on the dynamic characteristics of a virtual-axis hybrid polishing machine tool by flexible multibody dynamics	1067–1076
Wang, Z. R.	Experimental and numerical investigation into useful wrinkling during aluminium alloy internal high-pressure forming	43–49
Wen, D. H.	On the prediction of chip flow angle in non-free oblique machining	1267–1278
Weston, R. H.	On measuring the progress of industry teams	1433–1452
Wiktor, J.	Tooth-root stress calculation of internal spur gears	1153–1166
Wittig, S.	A comparison of shrink-fit holding torque using probabilistic, micromechanical and experimental approaches	175–187
Wu, C. S.	Intelligent monitoring and recognition of the short-circuiting gas–metal arc welding process	1145–1151
Wu, L.	Visual sensing and profile extraction of the weld pool in pulsed gas metal arc welding	1333–1338
Xiong, Y.-L.	A virtual prototyping approach to generation and evaluation of mechanical assembly sequences	87–102
Xirouchakis, P.	Disassembly scheduling: integer programming models	1357–1372
Xue, C. G.	A study on self-reconfiguration of a knowledgeable manufacturing system	1601–1617
Yan, H. S.	A study on self-reconfiguration of a knowledgeable manufacturing system	1601–1617
Yan, Y.	Rapid metal tooling by applying plasma spraying and rapid prototyping/rapid tooling technology for metal sheet forming	509–515
Yan, Z.	Visual sensing and profile extraction of the weld pool in pulsed gas metal arc welding	1333–1338
Yang, Z.	On-line monitoring of drilling torques of microdrills	1735–1740
Yeap, T.	A fuzzy system for chatter suppression in end milling	403–417
Yen, D.	Dynamic performance of shoe centreless grinding	939–947
Yilbas, B. S.	Laser hole drilling quality and efficiency assessment	225–233
Yilbas, B. S.	Laser pulse heating and thermal stress developments: elastoplastic analysis	375–388
Yilbas, B. S.	Laser shock processing of Ti–6A1–4V alloy	473–482
Yin, L.	Ultraprecision grinding of tungsten carbide for spherical mirrors	419–429
Yin, Z.	Adaptive tool path generation from measured data	103–111
Yin, Z.-P.	A virtual prototyping approach to generation and evaluation of mechanical assembly sequences	87–102
Youn, S. W.	Effects of viscosity control on microporosity in the fabrication process of aluminium foam material by a rheology forming process	1723–1734
Young, D.	Wall thickness variations in single-point incremental forming	1453–1459
Yu, M.	Study on the dynamic characteristics of a virtual-axis hybrid polishing machine tool by flexible multibody dynamics	1067–1076

© IMechE 2004

Yuan, S. J.	Experimental and numerical investigation into useful wrinkling during aluminium alloy internal high-pressure forming	43–49
Zhang, G.	Visual sensing and profile extraction of the weld pool in pulsed gas metal arc welding	1333–1338
Zhang, H.	Dynamic performance of shoe centreless grinding	939–947
Zhang, L.	Material removal by fixed abrasives following curved paths	713–720
Zhang, L.	Study on the dynamic characteristics of a virtual-axis hybrid polishing machine tool by flexible multibody dynamics	1067–1076
Zhang, L. P.	An efficient cutter contact curve tool path regeneration algorithm for sculptured surface machining	389–402
Zhang, R.	Rapid metal tooling by applying plasma spraying and rapid prototyping/rapid tooling technology for metal sheet forming	509–515
Zhang, X.	Visual sensing and profile extraction of the weld pool in pulsed gas metal arc welding	1333–1338
Zhao, J.	Study on the dynamic characteristics of a virtual-axis hybrid polishing machine tool by flexible multibody dynamics	1067–1076
Zheng, L.	On the prediction of chip flow angle in non-free oblique machining	1267–1278
Zhou, W.	Virtual prototyping for a parallel-link coordinate measuring machine	1125–1136
Zorriassatine, F.	Integrating novelty detection, neural networks and conventional tools for pattern recognition in multivariate processes	779–793

Short Communications in Manufacture and Design

Al-Jumaily, A. M.	Pressure control for constant-pressure masks	1191–1194
Al-Sulaiman, F. A.	Empirical models of mechanical and electrical drilling power of mild steel	1181–1189
Axinte, D. A.	Turning assisted with deep cold rolling—a cost efficient hybrid process for workpiece surface quality enhancement	807–811
Bähr, J. L.	A temperature-controlled complementary metal oxide semiconductor camera	1217–1222
Bariani, P. F.	A combined DFMA and TRIZ approach to the simplification of product structure	1023–1027
Baseer, M. A.	Empirical models of mechanical and electrical drilling power of mild steel	1181–1189
Berti, G. A.	A combined DFMA and TRIZ approach to the simplification of product structure	1023–1027
Britton, G. A.	A graph theoretic approach for stamping operations sequencing	467–471
Buehlmann, U.	Linear programming and optimizing lumber quality composition in secondary hardwood dimension mills	143–147
Bunt, C. R.	Electronically controlled, intravaginal drug delivery	1409–1415
Busby, J. S.	Failure modes analysis of organizational artefacts that protect systems	1211–1215
Carnegie, D. A.	Converting a deep-water access reconnaissance television into an autonomous underwater vehicle	149–156
Carnegie, D. A.	Electronically controlled, intravaginal drug delivery	1409–1415
Case, K.	Shape modification using genetic algorithms	827–832
Case, K.	Using HADRIAN for eliciting virtual user feedback in 'design for all'	1203–1210
Chan, H.	Pressure control for constant-pressure masks	1191–1194
Chand, P.	Modelling and simulation of a PC-based computer numerically controlled drilling machine worktable	1625–1630
Chu, C. Y.	A graph theoretic approach for stamping operations sequencing	467–471
Cross, P. S.	Electronically controlled, intravaginal drug delivery	1409–1415
D'Arcy, A. E.	Pressure control for constant-pressure masks	1191–1194
Drake, P. R.	Modelling neural network performance through response surface methodology for classifying wood veneer defects	459–466
Eastwood, S. J.	An evaluation of the TI^2 manufacturing system for the machining of airframe subassemblies	819–826
Edge, K. A.	Use of non-invasive measurement methods to aid the control of part quality in the injection moulding process	1195–1201
Edwards, K. L.	Systematic retrofit design for manufacture—critical component substitution in machine design	129–133
Frazier, B. W.	Robust control of an adaptive optical system	353–358
Fronimidis, D.	Use of non-invasive measurement methods to aid the control of part quality in the injection moulding process	1195–1201
Furet, B.	A new method of prototypes and dies manufacturing	1423–1428
Gao, J. Q.	Sensing weld pool geometrical appearance in gas–metal arc welding	813–818
Gindy, N.	Turning assisted with deep cold rolling—a cost efficient hybrid process for workpiece surface quality enhancement	807–811

© IMechE 2004

Golovko, L. F.	On the possibility of using laser technology for diamond tool manufacturing	1029–1036
Graham, I.	Shape modification using genetic algorithms	827–832
Gunnberg, F.	Effects of hard turning on the fatigue life of ball bearings	1855–1859
Gyi, D. E.	Using HADRIAN for eliciting virtual user feedback in 'design for all'	1203–1210
Harvey, S. G. P.	A temperature-controlled complementary metal oxide semiconductor camera	1217–1222
Hascoët, J.-Y.	A new method of prototypes and dies manufacturing	1423–1428
Hascoët, J.-Y.	Manufacturing errors modelling: two three-dimensional approaches	1869–1873
Hibberd, R. E.	Failure modes analysis of organizational artefacts that protect systems	1211–1215
Hildreth, N.	Remote Access Toolkit for industrial robots	1017–1022
Hodgson, A. R.	Integration of anthropometric data within a computer aided design model	1417–1421
Huang, H.	Grindability of glass-inlaid zirconia for fibre-optic connectors	1861–1868
Jacobson, M.	Effects of hard turning on the fatigue life of ball bearings	1855–1859
Kakad, Y. P.	Robust control of an adaptive optical system	353–358
King, J. C.	Converting a deep-water access reconnaissance television into an autonomous underwater vehicle	149–156
Kovalenko, V. S.	On the possibility of using laser technology for diamond tool manufacturing	1029–1036
Kumar, S.	Prediction and reduction of process times for the PC-based computer numerically controlled drilling machine	135–141
Kumar, S.	Modelling and simulation of a PC-based computer numerically controlled drilling machine worktable	1625–1630
Künnemeyer, R.	Electronically controlled, intravaginal drug delivery	1409–1415
Legoff, O.	Manufacturing errors modelling: two three-dimensional approaches	1869–1873
Lesprier, T.	A new method of prototypes and dies manufacturing	1423–1428
Lucchetta, G.	A combined DFMA and TRIZ approach to the simplification of product structure	1023–1027
Maharaj, A. R. C.	Development of an obstacle-avoiding mobile robotic platform using a low-end budget PIC microcontroller	1631–1637
Makinson, D.	Pressure control for constant-pressure masks	1191–1194
Marshall, R.	Using HADRIAN for eliciting virtual user feedback in 'design for all'	1203–1210
Mebrahtu, H.	Performance enhancement using an expert mechanism in a manufacturing simulator	245–249
Mileham, A. R.	Use of non-invasive measurement methods to aid the control of part quality in the injection moulding process	1195–1201
Mileham, A. R.	Failure modes analysis of organizational artefacts that protect systems	1211–1215
Mileham, T.	Performance enhancement using an expert mechanism in a manufacturing simulator	245–249
Mognol, P.	A new method of prototypes and dies manufacturing	1423–1428
Mullineux, G.	Failure modes analysis of organizational artefacts that protect systems	1211–1215
Newman, S. T.	The adoption of STEP-NC for the manufacture of asymmetric rotational components	1639–1644
Novikov, N. V.	On the possibility of using laser technology for diamond tool manufacturing	1029–1036
Onwubolu, G. C.	Prediction and reduction of process times for the PC-based computer numerically controlled drilling machine	135–141
Onwubolu, G. C.	Modelling and simulation of a PC-based computer numerically controlled drilling machine worktable	1625–1630
Onwubolu, G. C.	Development of an obstacle-avoiding mobile robotic platform using a low-end budget PIC microcontroller	1631–1637
Packianather, M. S.	Modelling neural network performance through response surface methodology for classifying wood veneer defects	459–466
Porter, J. M.	Using HADRIAN for elicting virtual user feedback in 'design for all'	1203–1210
Prasad, S. D.	Development of an obstacle-avoiding mobile robotic platform using a low-end budget PIC microcontroller	1631–1637
Qin, S. F.	Incremental simulation modelling for Internet collaborative design	1009–1015
Rahimifard, S.	The adoption of STEP-NC for the manufacture of asymmetric rotational components	1639–1644
Rajapakse, B.	Remote Access Toolkit for industrial robots	1017–1022
Rathbone, M. J.	Electronically controlled, intravaginal drug delivery	1409–1415
Reddy, H. M.	Development of an obstacle-avoiding mobile robotic platform using a low-end budget PIC microcontroller	1631–1637
Roche, J.	Robust control of an adaptive optical system	353–358
Rosso Jr, R. S. U.	The adoption of STEP-NC for the manufacture of asymmetric rotational components	1639–1644
Sheikh, A. K.	Empirical models of mechanical and electrical drilling power of mild steel	1181–1189
Shepelev, A. A.	On the possibility of using laser technology for diamond tool manufacturing	1029–1036
Sherlock, B. G.	Robust control of an adaptive optical system	353–358
Shu, L. H.	Biomimetic design for remanufacture in the context of design for assembly	349–352
Sims, R.	Using HADRIAN for elicting virtual user feedback in 'design for all'	1203–1210

© IMechE 2004

Sokola, M. A.	Use of non-invasive measurement methods to aid the control of part quality in the injection moulding process	1195–1201
Sorochenko, V. G.	On the possibility of using laser technology for diamond tool manufacturing	1029–1036
Srinivas, J.	Automatic generation of numerical control part programs using object-oriented software	239–244
Stelson, K. A.	Use of non-invasive measurement methods to aid the control of part quality in the injection moulding process	1195–1201
Tan, K. H.	A novel approach in microfoil bending using an electrodischarge machine	1403–1407
Thomas, R. E.	Linear programming and optimizing lumber quality composition in secondary hardwood dimension mills	143–147
Tor, S. B.	A graph theoretic approach for stamping operations sequencing	467–471
Torrens, G. E.	Integration of anthropometric data within a computer aided design model	1417–1421
Tyson, R. K.	Robust control of an adaptive optical system	353–358
Walker, R.	Performance enhancement using an expert mechanism in a manufacturing simulator	245–249
Webb, P.	An evaluation of the TI^2 manufacturing system for the machining of airframe subassemblies	819–826
Williams, G. L.	Integration of anthropometric data within a computer aided design model	1417–1421
Wood, R.	Shape modification using genetic algorithms	827–832
Wright, D. K.	Incremental simulation modelling for Internet collaborative design	1009–1015
Wu, C. S.	Sensing weld pool geometrical appearance in gas–metal arc welding	813–818
Yang, S. X.	Electric barrier driving mechanism with a jaw clutch	803–805
Yeo, S. H.	A novel approach in microfoil bending using an electrodischarge machine	1403–1407
Yin, L.	Grindability of glass-inlaid zirconia for fibre-optic connectors	1861–1868
Zhang, M.	Sensing weld pool geometrical appearance in gas–metal arc welding	813–818
Zuo, X.	Linear programming and optimizing lumber quality composition in secondary hardwood dimension mills	143–147

© IMechE 2004